


# THE SHORT ABSTRACTS OF SOME PRESENTED PAPERS

## GLASS-FORMING CYANO-SUBSTITUTED CARBAZOLE DERIVATIVES FOR OPTOELECTRONICS

SKUODIS E., TOMKEVICIENE A., VOLYNIUK D., GRAZULEVICIUS J.  
*Department of Polymer Chemistry and Technology,  
Kaunas University of Technology  
eigirdas.skuodis@ktu.edu*

Organic charge-transporting materials are used in electrophotographic photoreceptors, light-emitting diodes, photovoltaic devices and other optoelectronic devices [1,2]. Much attention has been recently paid to organic low-molar-mass compounds that form glasses above room temperature.

Due to efficient hole transport and excellent thermal stabilities, electron-rich carbazole moiety is widely used in the design and synthesis of hole-transporting and light-emitting materials [3]. On the other hand, cyano-substituted compounds show good optical and electrical properties due to their high electron affinities. Some cyano-substituted compounds were reported to show unique emission enhancement rather than quenching in the solid state [4]. The structures of carbazole derivatives containing cyano groups synthesized and studied in this work are shown in Fig 1. The key step in the synthesis was Ullmann coupling reaction of 3-iodo or 2-bromo-9-ethylcarbazole with 3- or 2,7-dicyanocarbazole.



**Fig. 1.** Cyano substituted carbazole based derivatives

The chemical structures of the synthesized compounds were confirmed by  $^1\text{H}$  and  $^{13}\text{C}$  NMR, IR and mass spectroscopies. The thermal, optical, photophysical, electrochemical and photoelectrical

properties of the synthesized compounds have been studied and will be reported.

### **Acknowledgement**

This work supported by Research Council of Lithuania (TAP LU-2-2016).

### **References:**

- [1] Shirota Y. J. Photo- and electroactive amorphous molecular materials - molecular design, syntheses, reactions, properties, and applications, *Mat. Chem.* 15, 1, 75–93, 2005.
- [2] Hung L.S., Chen C.H. Recent progress of molecular organic electroluminescent materials and devices *Mater. Sci. Eng. R-Rep.* 39, 5, 143–222, 2002.
- [3] Tomkeviciene A., Grazulevicius J. V., Kazlauskas K. et al. Impact of Linking Topology on the Properties of Carbazole Trimers and Dimers *J. Phys. Chem. C* 115, 11, 4887–4897, 2011.
- [4] An B. K., Kwon S. K., Jung S. D. et al. Enhanced Emission and Its Switching in Fluorescent Organic Nanoparticles *J. Am. Chem. Soc.* 124, 48, 14410–14415, 2002.

## **ELECTROCHEMISTRY IN MICROSCALE. SCANNING ELECTROCHEMICAL MICROSCOPY: NEW POSSIBILITIES, NEW TECHNIQUES**

PINI L., SIDES R.  
AMETEK Scientific Instruments, *P.O. Box 4144*  
*5004 JC Tilburg, The Netherland*  
*luca.pini@ametek.com*

The VersaSCAN is Scanning Electrochemical Microscopy (SECM) single platform capable of providing spatial resolution to both electrochemical and materials-based measurements. Traditional electrochemical experiment measure an average response over the entire electrode/electrolyte interface. Rarely a sample is homogenous. Samples often consist of local sites of passivate/active nature or sites of anodic/cathodic character. This need to investigate localized phenomenon led to the emergence of scanning probe electrochemistry. In collaboration with LEPA-EPFL, we offer the Soft Stylus Probe contact mode technique developed by Professor Hubert Girault and co-workers for constant distance SECM. The probe technology offers benefits like Constant distance SECM: SECM imaging without major topographic artefacts. It is ideal for tilted, corrugated and rough samples.